
PEDS HEAD, FACE & NECK

- **Skull for Trauma**

- Order - XR Skull < 4 Views Routine
- Views
 - #1 AP or PA skull
 - #2 Towne
 - #3 Lateral
- Notes
 - 40" SID for all views.

- **Skull for Craniosynostosis**

- Order - XR Skull < 4 Views Routine
- Views
 - #1 AP or PA skull
 - #2 Towne
 - #3 Right lateral
 - #4 Left lateral
- Notes
 - 40" SID for all views.

- **Orbits**

- Order - XR Orbits Complete Bilateral
 - Views
 - #1 Caldwell
 - #2 Waters'
 - #3 Right lateral
 - #4 Left lateral
 - Notes
 - 40" SID for all views.
 - Perform erect when possible.
-

PEDS HEAD, FACE & NECK (continued)

- **Sinuses**

- Order - XR Sinuses Complete Routine
 - Views
 - #1 Caldwell
 - #2 Waters'
 - #3 Lateral (*to include neck*)
 - Notes
 - 40" SID for all views.
 - Collimate Caldwell & Waters' views to exclude skull.
 - Perform erect when possible.
-

- **Facial Bones**

- Order - XR Facial Bones > 3 Views Routine
 - Views
 - #1 Caldwell
 - #2 Waters'
 - #3 Right lateral
 - #4 Left lateral
 - Notes
 - 40" SID for all views.
 - Perform erect when possible.
-

- **Nasal Bones**

- Order - XR Nasal Bones Minimum 3 Views
 - Views
 - #1 Waters'
 - #2 Right lateral
 - #3 Left lateral
 - Notes
 - 40" SID for all views.
-

- **Zygomatic Arches**

- Order - XR Facial Bones > 3 Views Routine
 - Views
 - #1 Caldwell
 - #2 Waters'
 - #3 Submentovertex (SMV) arches
 - Notes
 - 40" SID for all views.
-

PEDS HEAD, FACE & NECK (continued)

- **Mandible**

- Order - XR Mandible Complete
- Views
 - #1 PA mandible
 - #2 Towne 37° caudal angulation
 - #3 Right axiolateral oblique of mandible
 - #4 Left axiolateral oblique of mandible
- Notes
 - 40" SID for all views.
 - Obliques views from true lateral extend chin, rotate head 10-15° toward image receptor with 25-35° cephalic angulation.
 - Perform erect when possible.

- **Temporomandibular (TMJ) Joints**

- Order - XR TMJ Open and Closed Bilateral
- Views
 - #1 Right axiolateral oblique of TMJ (mouth closed)
 - #2 Right axiolateral oblique of TMJ (mouth open)
 - #3 Left axiolateral oblique of TMJ (mouth closed)
 - #4 Left axiolateral oblique of TMJ (mouth open)
- Notes
 - 40" SID for all views.

- **Soft Tissue Neck**

- Order - XR Neck Soft Tissue
 - Views
 - #1 AP
 - #2 Lateral
 - Notes
 - 40" SID on AP view.
 - 72" SID on lateral view.
 - Open collimation to include entire trachea on both views.
 - Hyperextend chin on lateral views.
 - Perform erect when possible.
-